

# ClubWash 250 CT™

The ClubWash 250 CT is very easy to control and quick to programme. Highly competitively priced and with an outstanding features-for-value ratio, the fixture is perfect for small to medium installation applications and mobile Djs. Features include a manual zoom, colour wheel with 11 colours + white, rainbow effect, smooth dimmer & separate shutter + strobe effect (max. 10 flashes/sec).



# Technical Specification

## Source

- Lamp: Compact high-pressure metal halide lamp
- Base: GY9.5
- Approved models: Osram HSD 250/80, Philips MSD 250/2, Sylvania BA 250/2 SE
- Control: Automatic and remote on/off
- Ballast: Magnetic

## Optical system

- Fresnel lens of diameter 150 mm
- Manually adjustable beam angle from 8° to 22°

## Electrical specification and connections

- Wiring options: EU model - 208/230/240 V, 50/60 Hz, US model - 100/120/208/230/240 V, 50/60 Hz
- Power consumption: 410 VA at 230 V/50 Hz

## Mechanical specification

- Height: 520 mm (20.5 ") - head in horizontal position
- Width: 417 mm (16.4 ")
- Depth: 398 mm (15.7 ")
- Weight: EU model - 20.5 kg (42.2 lbs), US model - 24 kg (52.9 lbs)

## Thermal specification

- Maximum ambient temperature (Ta): 45 °C (113 °F)
- Maximum surface temperature: 80 °C (176 °F)

## Control and programming

- Protocol: USITT DMX-512
- Control channels: 8 or 10
- Built-in demo sequences
- Display: 4-digit LED display
- Master/Slave operation
- Stand-alone operation
- 3-editable programs, each up to 99 steps
- Controllable speed of fans
- Movement control: Tracking and vector
- Built-in analyser for easy fault finding
- Data in/out: Locking 3-pin XLR

## Electromechanical effects

- Colour wheel: 11 colours + white, rainbow effect in both directions
- Dimmer/Shutter: Full range dimming and variable strobe effect
- Pan: 530°
- Tilt: 280°

## Rigging

- 2 pairs of ¼-turn locks; 2x Omega bracket with ¼-turn locks 1 pair of mounting holes for clamps with M10 thread

## Optional accessories


- Mounting plate

# Gobos&Colours


## Colour Wheel



14070069



14070007




14070067




14070066



14070060




14070061



14070062



14070063



14070064



14070065



14070068